



Sierra Pacific Windows -- Wisconsin Division Vinyl Products (Non-Impact)

Product	Size/Unit Type Tested	Design Pressure (DP) Rating	Air Inf/Exf/ CAN Inf/Exf Level	Water Penetration (PSF)	Structural Test Pressure (PSF)	Upgrades Required / Special Notes	Test Report Number	Hallmark Certification Listing #	Florida Product Approval #	TDI Approval #		
CASEMENT / AWNING	8000 Series Casement Operator	35.5"x71.5" O.A. Frame Size (36x72 call-out) Single Units Only	+50/-80 LC-PG50	0.03	7.50	+120/-120	None	ESP009678P-1224	448-H-004.11	21154.7	WIN-1827	
	8000 Series Casement Operator (Mulled 2-Wide)	35.5" x 71.5" Individual Frame Size (Single/Mulled Units)	+50/-55 LC-PG50	0.08	7.50	+75/-82.5	Mull consists of box units utilizing 1/2" oak vertical mull. Qualifies multiple-wide units. Frame Anchors at Mull Ends Required	ESP010199P-1253	448-H-004.14	21154.6	WIN-1827	
	Casement 2-Wide Common Mull w/2-Wide Casement Transom Common Mull	36"/36"x72" w 36"/36"x24" Transom	±35 LC-PG35	0.04	7.52	+52.63/-52.63	Continuous Head and Sill units with 2-Piece horizontal aluminum mull.	ESP025014P-2128	448-P-004.18			
	Casement 3-Wide Common Mull	106"x72" (36"x72") (Single, Twin or Triple)	+/-35 LC-PG35	0.03	7.52	+52.63/-52.63	Use combination snubbers for center snubbers	ESP024429P-2086	448-H-004.15	21966.9		
	3-Wide Csmt XOx w/Csmt Transom--Cont Hd & Sill; 28/58/28 x 60 call-out stacked below 3-wide 28/58/28 x 22	115.5" x 59.5" Csmt Oper Frame Size; 115.5x22.5" Trans Frame Size (Single/Mulled Units)	+40/-40 LC-PG40	0.11	6.06	+60.15/-60.15	Continuous Hd & Sill Csmt Oper & Fixed Frames w/vertical impost mulls; Horizontal mull comprised of 2-pc interlocking alum mull. Frame Anchors at Mull Ends Required	ESP017860P-1618	448-H-004.03	17374.2		
	8000 Series Operable Casement/Fixed Casement w/Fixed Casement Mull Above	23"x60"/47"x60" Operator/Fixed Casement with 70"x35" Fixed Casement Transom Stacked Above	+50/-65 LC-PG50	0.04	7.52	+75/-97.74	Continuous Hd & Sill Operator/Fixed Frame with 2-Piece horizontal aluminum mull. Frame Anchors at Mull Ends Required	ESP018263P-1640	448-H-004.12	21154.8		
	8000 3-Wide Casements Combination Mull Above 3-Wide Casements	28"x60"/60"x60" (115.5"x59.5") XOx Csmt w/115.5"x22.375" Fixed Csmt Below	+40/-40 LC-PG40	0.07	7.52	+60.15/-60.15	Continuous Hd & Sill Operator/Fixed Frame with 2-Piece horizontal aluminum mull. Frame Anchors at Mull Ends Required	ESP018285P-1641	448-H-004.13	21436.6		
	8000 Vinyl Oper/Fixed Csmt (23x60" Oper/47x59.5") Fixed Mull Below Fixed Csmt Transom (70.38"x35")-Horiz. Oak Mull (OA Mull Unit Size of 70"x95")	70.38" x95.0" O.A. Frame Size (70x95 call-out) Single Frames Only	+45/-40 LC-PG40	0.04	7.52	+67.67/-60.15	Continuous Hd & Sill Operator/Fixed Frame with horizontal Oak mull. Frame Anchors at Mull Ends Required	ESP018262P-1639	448-H-004.08	17511.3		
	8000 Series Casement/Awning Picture w/Integral Mull 70-3/8 x 17-1/2	70.38" x 17.5" O.A. Unit Size Single Frame Only	+50/-50 LC-PG50	0.06	7.52	+75.19/-75.19	None	ESP017844P-1616	448-H-004.04	17642.2		
	Vinyl Awning	47.5" x 35.5" O.A. Frame Size (48x36 call-out) Single Units Only	+50/-70 LC-PG50	0.02	7.50	+105/-105	None	ESP009874P-1240 Rev A	448-H-016.02	21152.7	WIN-1827	
	Vinyl Awning	123"x36" (42"x36")	+50/-50 LC-PG50	0.08/.14/A2	7.52	+75/-75	Continuous Head and Sill	ESP025098P-2132	448-H-016.04	22229.3		
	Vinyl Awning	47.5" x 35.5" Individual Frame Size (Single/Mulled Units)	+50/-50 CW-PG50	0.14	7.50	+90/-75	Mull consists of box units utilizing 1/2" oak mull. Qualifies multiple-wide units. Frame Anchors at Mull Ends Required	ESP009986P-1245	448-H-016.03	21152.6	WIN-1827	
	8000 Series Casement-Awning Picture	71.5" x 59.5" O.A. Unit Size Single Units Only	+50/-50 LC-PG50	0.04	7.50	+75/-75	None	ESP009876P-1242	448-H-009.01	21160.12		
DIRECT SETS	Vinyl Direct Set	54" x 72" O.A. Frame Size Single Units Only	+50/-55 CW-PG50	0.01	7.50	+75/-75	None	ESP024767P-2114	448-P-014.11			
	Vinyl Direct Set	72"x72"	±35 CW-PG35	0.01	5.43	+52.63/-52.63	None	ESP025355P-2153	448-P-014.05			
	Vinyl Direct Set	84" x 72" O.A. Frame Size Single Units Only	+30/-30 CW-PG30	0.01	7.50	+52.5/-45	Tested with and without weeps	ESP012287P-1374	448-H-014.04	21429.2	WIN-1841	
	Vinyl Direct Set	48" x 72" Ind. Frame Size (Single/Mulled Units)	+50/-50 LC-PG50	0.01	7.50	+75/-75	1/2" oak mull - Frame Anchors at Mull Ends Required	ESP024767P-2114.1	488-P-014.08			
	Vinyl Direct Set 1w2h Stack (72"x66" DS Stacked Above 72"x24" DS) O.A Unit Size 72"x90"	72" x 90" O.A. Mull Size	+30/-30 LC-PG30	0.01	4.59	+45.11/-45.11	1/2" Horizontal Oak Mulls -- Installation Reflective of Sill Pan Installation. Frame Anchors at Mull Ends Required	ESP018320P-1644	448-H-014.03	17642.1		





Sierra Pacific Windows -- Wisconsin Division Vinyl Products (Non-Impact)

Product	Size/Unit Type Tested	Design Pressure (DP) Rating	Air Infiltration (CFM)	Water Penetration (PSF)	Structural Test Pressure (PSF)	Upgrades Required	Test Report Number	Hallmark Certification Listing #	Florida Product Approval #	TDI Approval #
Builders Series Single Hung	41.5" x 71.5" O.A. Frame Size (42x72 call-out) Single Units Only	+35/-45 R-PG35	0.12	7.50	+52.5/-67.5	None	ESP011150P-1309 Rev B	448-H-012.06	21166.6	
Builder Series Single Hung	71" x 72" O.A. Frame Size (36x72 call-out)	+25/-25 R-PG25	0.13	6.06	+37.59/-37.59	Continuous head and sill with impost mull; qualifies 2-wide units only. Standard product--no reinf. Tested w/Frame Anchors; Eng Analysis for no frame anchors.	C1046.01-602-44	448-H-012.05	21166.7	
Builder Series Single Hung	71" x 72" O.A. Frame Size (36x72 call-out)	+40/-40 R-PG40	0.1	6.06	+60/-60	Continuous head and sill with impost mull; qualifies 2-wide units only. Standard product--18 gauge steel. Tested w/Frame Anchors; Eng Analysis for no frame anchors.	ESP024785P-2116.1	448-H-012.10		
Builder Series Single Hung w/Upgraded Mull Reinforcement	107" x 72" O.A. Frame Size (36x72 call-out) Single/3-Wide Units	+35/-35 R-PG35	0.13	5.25	+60/-52.5	Custom Quote Required. Continuous head & sill with .108" galvanized steel reinforced impost mull. Qualifies 3-wide units only. Frame Anchors at Mull Ends Required	ESP012915P-1407.1	448-H-012.04	16684.1	WIN-1848
Builder Series Single Hung w/Reinf Mull	107" x 72" O.A. Frame Size (36x72 call-out) Single/3-Wide Units	+35/-35 R-PG35	0.13	6.06	+52.63/-52.63	Mull consists of 12 gauge galvanized steel reinforced impost mull. Requires custom quoting. Qualifies 3-wide units only.	ESP025785P-2116	448-H-012.07	22231.2	WIN-1848
Builders Series Single Hung Sash Set Fixed-3-Wide	96"x60" OA Frame Size (30/36/30x60) Qualifies 1-wide, 2-Wide and 3-Wide	+/-35 LC-PG35	0.04	5.43	+52.63/-52.63	MFG w standard operator frame material on all sides	ESP024666P-2107	448-H-011.02	21965.2	
Designer Series Single Hung	47.5"x77.5" O.A. Frame Size (48x78 call-out) Single Units Only	+30/-30 LC-PG30	0.02	5.43	+52.63/-45.11	None	ESP023689P-2037	448-H-002.15	21166.8	WIN-1825
Designer Series Single Hung w/PAL Locks	47.5"x77.5" O.A. Frame Size (48x78 call-out) Single Units Only	+30/-30 LC-PG30	0.19	5.43	+35.09/-35.09	Positive Action Lock	ESP022499P-1909	448-H-002.14	21438.3	
Designer Series Single Hung 2-Wide w/Sill Pan Installation	71.5"x65.5" O.A. Frame Size (72x66 call-out) Single/2-Wide Units	+30/-40 LC-PG30	0.06	4.59	+45.11/-60.15	With sill pan installation. Frame Anchors at Mull Ends Required	ESP018321P-1645 Update B	448-H-002.11	21166.2	
Designer Series Single Hung	35.5" x 71.5" Individual Frame Size (Single/Mulled Units)	+50/-50 LC-PG50	0.05	7.50	+82.5/-75	Mull consists of box units utilizing 1/2" oak mull. Qualifies multiple-wide units. Frame Anchors at Mull Ends Required	ESP010122P-1249	448-H-002.09	21166.4	WIN-1825
Designer Series Single Hung w/PAL Locks	35.5" x 71.5" Individual Frame Size (Single/Mulled Units)	+50/-50 LC-PG50	.05	7.52	+75.19/-75.19	Mull consists of box units utilizing 1/2" oak mull. Qualifies multiple-wide units. Frame Anchors at Mull Ends Required--Positive Action Lock	ESP022499P-1909.2	448-H-002.16	21438.1	
Designer Series Single Hung	47.5" x 77.5" Individual Frame Size (Single/Mulled Units)	+30/-35 LC-PG30	0.11	5.25	+45/-52.5	Mull consists of box units utilizing 1/2" oak mull. Qualifies multiple-wide units. Frame Anchors at Mull Ends Required	ESP010121P-1248	448-H-002.17	15763.3 & 21438.2	WIN-1825
Designer Series Single Hung 2-Wide w/Transoms Windows Above	71.5" x 95.5" O.A. Frame Size (30x60 Twin w/ 3-0x2-0 Transom)	+35/-45 LC-PG35	0.06	5.43	+75.19/-67.67	Horizontal mull consists of 2 pc. Interlocking alum mull; vertical mulls consist of 1/2" oak. Frame Anchors at Mull Ends Required	ESP016886P-1564	448-H-002.04	N/A	
Designer Series Single Hung 3-Wide w/Picture Windows Above	107.5" x 95.5" O.A. Frame Size (108x96 call-out)	+35/-45 LC-PG35	0.05	5.43	+67.67/-67.67	1/2" oak horizontal mulls; 2-piece alum vertical mulls full height of mulled configuration. Frame Anchors at Mull Ends Required	ESP016904P-1565	448-H-002.12	21166.5	
Designer Series Single Hung/Picture/ Picture*	132"x72" (36"/60"/36"x72")	+45/-50 LC-PG45	0.03	7.52	+67.67/-75.19	2-piece aluminum interlocking mull; through frame screws on each side of the mull at head and sill.	ESP025083P-2131	448-H-002.18	22231.1	

SINGLE HUNG

DOUBLE HUNG

Premium Series Double Hung	47.5"x63.5" O.A. Frame Size (48x64 call-out) Single Units Only	+50/-50 LC-PG50	0.08	7.52	+75/-75	Through frame installation	ESP023852P-2047	448-H-003.14	21424.7	
Premium Series Double Hung	47.5"x83.5" O.A. Frame Size (48x84 call-out) Single Units Only	+35/-40 LC-PG35	0.13	5.43	+60/-60	None	ESP024100P-2070	448-H-003.10	21424.6	WIN-1765
Premium Series Double Hung w/Abloy Locks	31.5"x59.5" O.A. Frame Size (32x60 Call Out) Single Unit Only	+35/-35 LC-PG35	0.25	5.43	+52.63/-52.63	None	ESP024535P-2097	448-H-003.16	22042.6	
Premium Series Double Hung	35.5" x 71.5" Individual Unit Size Single/Mulled Units	+50/-65 LC-PG50	0.17	7.50	+75/-97.5	Mull consists of box units utilizing 1/2" vertical oak mull. Qualifies multiple-wide units. Frame Anchors at Mull Ends Required	ESP011372P-1322 Rev A	448-H-003.07	21193.9	WIN-1765
Premium Series Double Hung	35.5" x 71.5" Individual Unit Size Single/Mulled Units	+55/-50 LC-PG45	0.21	6.89	+82.71/-75.19	Qualifies multiple-wide units. Frame Anchors at Mull Ends Required	ESP010540P-1272	448-H-003.06	21193.7	pending
Premium Series Double Hung	47.5" x 83.5" Individual Unit Size Single/Mulled Units	+25/-30 LC-PG25	0.15	5.25	+37.5/-45	Mull consists of box units utilizing 1/2" vertical oak mull. Qualifies multiple-wide units. Frame Anchors at Mull Ends Required	ESP010225P-1256 Rev B	448-H-003.05	21993.8	WIN-1765
Premium Series Double Hung/Pict/ Double Hung	108"x64" 28"/51"/28"x64"	+50/-50 LC-PG50	0.06	7.52	75.19/-75.19	Mull consists of box units utilizing 1/2" vertical oak mull. Through frame installation	ESP023857P-2048	448-H-003.08	21424.8	
Premium Series Double Hung/Pict/ Double Hung w/3-Wide Double Hung Fixed Transom	100"x85" (24"/51"/24"x61" w/24"/51"/24"x24") Transom	+50/-50 LC-PG50	0.05	7.52	75.19/-75.19	Mull consists of box units utilizing 1/2" horizontal oak mull and 2-piece aluminum vertical mull. Frame anchors at mulls.	ESP024128P-2072	448-H-003.12	21424.5	





Sierra Pacific Windows -- Wisconsin Division Vinyl Products (Non-Impact)

Product	Size/Unit Type Tested	Design Pressure (DP) Rating	Air Infiltration (CFM)	Water Penetration (PSF)	Structural Test Pressure (PSF)	Upgrades Required	Test Report Number	Hallmark Certification Listing #	Florida Product Approval #	TDI Approval #	
SH/DH/SLIDER PICTURE	Builders Series Single Hung/Slider Picture	59.5" x 71.5" O.A. Frame Size (60x72 call-out) Single Units Only	+40/-40 CW-PG40	0.03	7.50	+60/-60	None	ESP010752P-1290 Rev B	448-H-011.01	21160.11	
	Designer Series Single Hung/Slider Picture	47.5" x 65.5" O.A. Frame Size (48x66 call-out) Single Units Only	+50/-75 CW-PG50	<.01	7.50	+112.5/-112.5	None	ESP009682P-1227	448-H-007.03	21160.13	WIN-1807
	Designer Series Single Hung/Slider Picture	71.5" x 59.5" O.A. Frame Size (72x60 call-out) Single Units Only	+50/-70 CW-PG50	<.01	7.50	+97.5/-105	None	ESP009681P-1226	448-H-007.02	21160.14	WIN-1807
	Designer Series Single Hung/Picture/ Picture*	132"x72" (36"/60"/36"x72")	+45/-50 LC-PG45	0.03	7.52	+67.67/-75.19	2-piece aluminum interlocking mull; through frame screws on each side of the mull at head and sill.	ESP025083P-2131	448-H-002.18	22231.1	
	Premium Series DH/Slider Picture	95.5" x 53.5" O.A. Frame Size (96x54 call-out) Single Units Only	+35/-35 R-PG35	0.01	7.50	+60/-52.5	None	ESP009552P-1217	448-H-010.03	21160.17	WIN-1764
	Premium Series DH/Slider Picture	59.5" x 71.5" O.A. Frame Size (60x72 call-out) Single Units Only	+35/-35 CW-PG35	0.01	7.50	+52.5/-52.5	None	ESP009554P-1218 Rev A	448-H-010.04	21160.15	WIN-1764
	Premium Series DH/Slider Picture	59.5" x 71.5" O.A. Frame Size (60x72 call-out) Single Units Only	+50/-55 CW-PG50	0.01	7.50	+90/-82.5	Frame anchor screws located 3" on each side of corners (total of 8 screws per window)	ESP009554P-1218 Rev A	448-H-010.05	21160.16	WIN-1764
HORIZONTAL SLIDER	Builder Series Single Slider	71.5" x 59.5" O.A. Frame Size (72x60 call-out) Single Units Only	+20/-20 R-PG20	0.14	3.75	+30/-30	None	C2397.01-602-44	448-H-013.02	21183.9	
	8000 Builders Vinyl Single Slider	71.5" x 47.5" O.A. Frame Size (72x48 call-out) Single Units Only	+35/-40 R-PG35	0.08	5.25	+60/-60	None	ESP010413P-1262	448-H-013.03	21183.8	WIN-1840
	Designer Series Single Slider	77.5" x 59.5" O.A. Frame Size (78x60 call-out) Single Units Only	+30/-30 LC-PG30	0.18	6.00	+45/-45	None	ESP009679P-1225	448-H-005.06	21183.4	WIN-1766
	Designer Series Single Slider	71.5" x 71.5" O.A. Frame Size (72x72 call-out) Single Units Only	+30/-30 LC-PG30	0.07	4.59	+45.11/-45.11	None	ESP025099P-2133	448-H-005.12	22044.5	
	Designer Series Single Slider w/Transom	60" x 60" w/Fixed Vinyl Single Slider Stacked Above 60"x30" Plywood Mull	+40/-45 LC-PG40	0.06	6.06	+60.15/-67.67	Mull consists of pict window stacked above sgl sldr utilizing 1/2" horizontal oak mull. Frame Anchors at Mull Ends Required	ESP016905P-1566	448-H-005.04	17334.1	
	Designer Series Single Slider w/Transom	76" x 62" Vinyl Single Slider Stacked Above 76"x18" Designer Transom w/ 2 Pc Alum Mull	+25/-25 LC-PG25	0.06	5.43	+37.59/-37.59	Mull consists of slider window stacked above sgl transom utilizing 2 pc Alum horizontal mull. Thru frame screws on each side of the mull	ESP022828P-1939	448-H-005.09	21183.7	
	Designer Series Single Slider w/Transom	72" x 60" Vinyl Single Slider Stacked Above 72"x18" Designer Transom w/ 2 Pc Alum Mull	+30/-35 LC-PG30	0.06	4.59	+52.63/-52.63	Mull consists of slider window stacked above sgl transom utilizing 2 pc Alum horizontal mull. Frame Anchors at Mull Ends Required	ESP022490P-1908	448-H-005.10	21183.5	
	Designer Series Single Slider w/Awnings	36"x24" Vinyl mullied Awnings Stacked Above 72"x60" Designer Slider w/2 Pc Alum Mull	+30/-35 LC-PG30	0.06	4.59	+52.63/-52.63	Mull consists of mullied awning window stacked above slider window utilizing 2 pc Alum horizontal mull. Frame Anchors at Mull Ends Required	ESP022490P-1908	448-H-005.11	21183.6	
	Designer Series Triple Slider	95.5" x 59.5" O.A. Frame Size (96x60 call-out) Single Units Only	+35/-40 LC-PG35	0.09	5.25	+52.5/-60	None	ESP010208P-1254	448-H-005.07	21183.1	WIN-1766
	Premium Series Double Slider	71.5" x 41.5" O.A. Frame Size (72x42 call-out) Single Units Only	+40/-50 LC-PG40	0.12	6.00	+67.5/-75	Frame Anchors Required at Center of Head	ESP009581P-1221 Rev A	448-H-001.05	21183.2	WIN-1826
	Premium Series Double Slider	59.5" x 47.5" O.A. Frame Size (60x48 call-out) Single Units Only	+45/-45 LC-PG45	0.14	6.89	+67.67/-67.67	None	E0682.01-602-44	448-H-001.06	21183.3	
	Premium Series Double Slider	77.5" x 59.5" O.A. Frame Size (78x60 call-out) Single Units Only	+25/-30 LC-PG25	0.12	6.00	+37.5/-45	None	ESP009580P-1220 Rev A	448-H-001.03	21183.1	WIN-1826





Sierra Pacific Windows -- Wisconsin Division Vinyl Products (Non-Impact)

Product	Size/Unit Type Tested	Design Pressure (DP) Rating	Air Infiltration (CFM)	Water Penetration (PSF)	Structural Test Pressure (PSF)	Upgrades Required	Test Report Number	Hallmark Certification Listing #	Florida Product Approval #	TDI Approval #
Vinyl Sliding Patio Door w/Transom	76"x82" w/76"x24" Transom	+35/-35 R-PG35	0.07	5.43	+60/-52	Standard Product Configuration--No Upgrade Required 18 gage galvanized steel at vertical lock stile of active panel & inactive panel meeting rail, 12 gage galvanized steel in meeting rail of active panel and horizontal impost.	ESP025082P-2130	448-H-015.13	22040.8	
Vinyl Sliding Patio Door	72"x82"	+30/-30 R-PG30	0.08	5.43	+45/-45	18 gage galvanized steel in vertical lock stile of active panel, stat mullions and meeting rail of active panel.	ESP025011P-2125.1	448-H-015.16	22040.10	
Vinyl Sliding Patio Door	75.5" x 95.5" (6-4x8-0 call-out)	+40/-40 R-PG40	0.06	6.06	+60/-60	Standard Product Configuration--18 gage galvanized steel at vertical lock stile of active panel. Double 12 gage galvanized steel in stat mullion and single 12 gage in meeting stile of active panel.	ESP025011P-2125	448-H-015.19	22040.9	
Vinyl Sliding Patio Door (No Sill Nail Fin)	75.5" x 79.5" O.A. Frame Size (6-4x8-8 call-out) Single Units Only	+30/-45 LC-PG30	0.05	4.59	+67.67/-67.67	Requires DP upgrade and one #8 x 2-1/2" PFH SMS through frame sill and head into end meeting stile screw bosses to be rated.	ESP022771P-1932	448-H-015.12	FL21150.1	
Vinyl 3-Wide Composite Sliding Patio Door	106.75" x 81.5" O.A. Frame Size (107x82 call-out) Single Units Only	+35/-35 LC-PG35	0.07	6.06	+52.63/-52.63	Select DP Upgrade in E-Bid. .050" Galvanized steel reinf in active panel stiles and .108" steel tube in stationary frame mullion.	ESP017931P-1621	448-H-015.05	17513.1	
Vinyl 3-Wide Composite Sliding Patio Door w/Sill Pan Installation 107x96	106.81" x95.5" O.A. Frame Size (107x96 call-out) Single Units Only	+30/-30 LC-PG30	0.03	4.59	+45.11/-45.11	Standard Product Configuration--No Upgrade Required. .108" Galvanized steel reinf in active lock stile; .108" steel channel at active meeting stile and .108" steel tube in stationary frame mullion.	ESP018319P-1643	448-H-015.04	17513.2	
Vinyl Sliding Patio Door 8'0x8'0 without Sill Dam Ramp	95.63" x 95.63" O.A. Frame Size (96x96 call-out) Single Units Only	+30/-30 LC-PG30	0.05	5.43	+45.11/-45.11	Standard Product Configuration--No Upgrade Required. .108" Galvanized steel reinf in active lock stile; .108" steel channel at active meeting stile and .108" steel tube in stationary frame mullion.	ESP018534P-1657	448-H-015.06	17513.3	
Vinyl Sliding Patio Door	95.5" x 95.5" O.A. Frame Size (96x96 call-out) Single Units Only	+30/-30 LC-PG30	0.09	5.43	+30/-30	Standard Product Configuration--No Upgrade Required. .108" Galvanized steel reinf in active lock stile; .108" steel channel at active meeting stile and .108" steel tube in stationary frame mullion.	D9607.01-602-44	448-H-015.03	17310.1	
Vinyl Sliding Patio Door	75.5" x 95.5" O.A. Frame Size (76x96 call-out) Single Units Only	+35/-40 R-PG35	0.03	5.25	+60/-60	Standard Product Configuration--No Upgrade Required. .108" Galvanized steel reinf in active lock stile; .108" steel channel at active meeting stile and .108" steel tube in stationary frame mullion.	ESP013315P-1424	448-H-015.01	16361.2	
Vinyl Sliding Patio Door (DP Upgrade)	75.5" x 81.5" O.A. Frame Size (76x82 call-out) Single Units Only	+40/-50 R-PG40	0.03	6.00	+75/-75	Select DP Upgrade in E-Bid. .050" Galvanized steel reinf in active panel stiles and .108" steel tube in stationary frame mullion.	ESP013935P-1443	448-H-015.02	16682.1	
Vinyl 4-Wide Composite Sliding Patio Door	141.38" x 95.5" O.A. Frame Size (141x96 call-out) Single Units Only	+25/-30 LC-PG25	0.07	5.43	+37.59/-37.59	Select DP Upgrade in E-Bid. .050" Galvanized steel reinf in active panel stiles and .108" steel tube in stationary frame mullion.	ESP022393P-1897	448-H-015.07	FL21150.2	
Vinyl 4-Wide Composite Sliding Patio Door	141.38" x 95.5" O.A. Frame Size (141x96 call-out) Single Units Only	+15/-20 PG15	0.07	5.43	+22.56/-30.08	Standard Product Configuration-.050" Galvanized steel reinf in active lock stiles and stationary meeting stile.	ESP022393P-1897.1	448-H-015.10	Pending	
Vinyl Sliding Door Sidelite	47.3125"x96" O.A. Frame size (4-0x8-0 call out) Single Units Only	+40/-40 CW-PG40	0.02	6.06	+60.15/-60.15	None	ESP023701P-2039	448-H-017.00	21429.3	
Vinyl Sliding Door Transom	96" x 36"	+35/-50 CW-PG35	0.08/0.07/A3	5.43	+52.5/-75.19	None	ESP025831P-2186	448-P-019.00		

VINYL SLIDING PATIO DOOR



8/10/2017

NOTE: Only units that fall within the tested size/configuration shown are certified and approved to the design pressure(s) stated above. Units that fall outside these limitations may be certified/rated for design pressure; however the design pressures are lower than a DP35. See the Sierra Pacific Vinyl Product Performance Guides for specific performance ratings on other tested product.