

Product Summary- Egress

Egress information

Escape or rescue windows shall have a minimum net clear opening area of 5.7 square feet

- The minimum net clear opening width shall be 20"
- The minimum net clear opening height shall be 24"
- Finished sill height shall not be more than 44" above finished floor
- Egress shall be operable from the inside of the room without the use of keys or tools

In accordance with the UBC egress requirements in standard application (6'10" header height)

We offer egress hardware for the following dimensions

Units 24" - 24 7/16"	Piano Hinge	Frame Less 4" = Clear Opening
Units 24 1/2" - 25 15/16"	Butt Hinge	Frame Less 4 1/2" = Clear Opening
Units 26" - 29 1/2"	Hidden Egress Hinge	Frame Less 6" = Clear Opening
Units 29 9/16" and wider	Standard Hidden Hinge	Frame Less 9 1/2" = Clear Opening

Piano Hinges

WC-2448
WC-2454
WC-2460
WC-2466
WC-2472

Butt Hinge

WC-2842*
WC-2848*
WC-2854*
WC-2860*
WC-2866*
WC-2872*

Standard Hinges

WC-3048* WC-3636
WC-3054* WC-3642*
WC-3060* WC-3648*
WC-3066* WC-3654*
WC-3072* WC-3660*
WC-3666*
WC-3672*

Sedona Casement:

Comes standard with Anderberg 4-Bar stainless steel friction hinge, opens to 52 degrees, a 90 degree egress, friction hinge is available.

* meets egress requirements for Standard and Aspen radius casements (Not the Sedona)

Radius Sedona Casements have limited sash opening

All radius casements come with butt hinges



Sierra Pacific Windows

800-824-7744 www.sierrapacificwindows.com

Updated: 9/11

Note: Sierra Pacific Windows reserves the right to change specifications without notice.